

LITE-ON Technology Corporation - IC3-40A-H: IC3-40A-H

Specifications Brand Name: LITE-ON Technology Corporation Model Name: IC3-40A-H Model Number: IC3-40A-H ENERGY STAR Unique ID: 2395398 ENERGY STAR Partner: Lite-On Technology Corporation Product Type: Level 2 Input Voltage (V): 240.0 Max Nameplate Output Current (A): 40 Maximum Output Power (kW): 9.6 Number of Outputs: 1 Maximum Output Cord Length (ft.): 25 Output Cord Gauge (AWG): 10 Automatic Brightness Control (ABC) Capable?: No Connected Capable: No Network Connection Types Available: Wi-Fi or Gigabit Ethernet 15 A Operation Mode Test: Total Loss (watts): 22.54 30 A Operation Mode Test: Total Loss (watts): 6.72 Full Current Operation Mode Test: Total Loss (watts): 133.45 (watts): Idle Mode Input Power (watts): 0.34 Idle Mode Total Allowance (watts): 21.0 No Vehicle Mode Power Factor: 0.26 No Vehicle Mode Power Factor: 0.26 No Vehicle Mode Total Allowance (watts): 5.0		
Model Name: IC3-40A-H Model Number: IC3-40A-H ENERGY STAR Unique ID: 2395398 ENERGY STAR Partner: Lite-On Technology Corporation Product Type: Level 2 Input Voltage (V): 240.0 Max Nameplate Output Current (A): 40 Maximum Output Power (kW): 9.6 Number of Outputs: 1 Maximum Output Cord Length (ft.): 25 Output Cord Gauge (AWG): 10 Automatic Brightness Control (ABC) Capable?: No Connected Capable: No Network Connection Types Available: Wi-Fi or Gigabit Ethernet 15 A Operation Mode Test: Total Loss (watts): 22.54 30 A Operation Mode Test: Total Loss (watts): 76.65 4 A Operation Mode Test: Total Loss (watts): 6.72 Full Current Operation Mode Test: Total Loss (watts): 133.45 (watts): Idle Mode Input Power (watts): 0.34 Idle Mode Total Allowance (watts): 21.0 No Vehicle Mode Power Factor: 0.26	Specifications	
Model Number: IC3-40A-H ENERGY STAR Unique ID: 2395398 ENERGY STAR Partner: Lite-On Technology Corporation Product Type: Level 2 Input Voltage (V): 240.0 Max Nameplate Output Current (A): 40 Maximum Output Power (kW): 9.6 Number of Outputs: 1 Maximum Output Cord Length (ft.): 25 Output Cord Gauge (AWG): 10 Automatic Brightness Control (ABC) Capable?: No Connected Capable: No Network Connection Types Available: Wi-Fi or Gigabit Ethernet 15 A Operation Mode Test: Total Loss (watts): 22.54 30 A Operation Mode Test: Total Loss (watts): 6.72 Full Current Operation Mode Test: Total Loss (watts): 6.72 Full Current Operation Mode Test: Total Loss (watts): 133.45 Idle Mode Input Power (watts): 0.34 Idle Mode Power Factor: 0.34 Idle Mode Total Allowance (watts): 21.0 No Vehicle Mode Power Factor: 0.26	Brand Name:	LITE-ON Technology Corporation
ENERGY STAR Unique ID: 2395398 ENERGY STAR Partner: Lite-On Technology Corporation Product Type: Level 2 Input Voltage (V): 240.0 Max Nameplate Output Current (A): 40 Maximum Output Power (kW): 9.6 Number of Outputs: 1 Maximum Output Cord Length (ft.): 25 Output Cord Gauge (AWG): 10 Automatic Brightness Control (ABC) Capable?: No Connected Capable: No Network Connection Types Available: Wi-Fi or Gigabit Ethernet 15 A Operation Mode Test: Total Loss (watts): 22.54 30 A Operation Mode Test: Total Loss (watts): 6.72 Full Current Operation Mode Test: Total Loss (watts): 133.45 (watts): Idle Mode Input Power (watts): 6.1 Idle Mode Power Factor: 0.34 Idle Mode Total Allowance (watts): 21.0 No Vehicle Mode Input Power (watts): 3.43 No Vehicle Mode Power Factor: 0.26	Model Name:	IC3-40A-H
ENERGY STAR Partner: Lite-On Technology Corporation Product Type: Level 2 Input Voltage (V): 240.0 Max Nameplate Output Current (A): 40 Maximum Output Power (kW): 9.6 Number of Outputs: 1 Maximum Output Cord Length (ft.): 25 Output Cord Gauge (AWG): 10 Automatic Brightness Control (ABC) Capable?: No Connected Capable: No Network Connection Types Available: Wi-Fi or Gigabit Ethernet 15 A Operation Mode Test: Total Loss (watts): 22.54 30 A Operation Mode Test: Total Loss (watts): 76.65 4 A Operation Mode Test: Total Loss (watts): 6.72 Full Current Operation Mode Test: Total Loss (watts): 133.45 (Idle Mode Input Power (watts): 0.34 Idle Mode Power Factor: 0.34 Idle Mode Total Allowance (watts): 21.0 No Vehicle Mode Input Power (watts): 0.26	Model Number:	IC3-40A-H
Product Type: Input Voltage (V): Max Nameplate Output Current (A): Maximum Output Power (kW): Number of Outputs: Maximum Output Cord Length (ft.): Output Cord Gauge (AWG): Automatic Brightness Control (ABC) Capable?: No Connected Capable: No Network Connection Types Available: 15 A Operation Mode Test: Total Loss (watts): 30 A Operation Mode Test: Total Loss (watts): 4 A Operation Mode Test: Total Loss (watts): 6.72 Full Current Operation Mode Test: Total Loss (watts): Idle Mode Input Power (watts): 6.1 Idle Mode Power Factor: 0.34 Idle Mode Total Allowance (watts): No Vehicle Mode Power Factor: 0.26	ENERGY STAR Unique ID:	2395398
Input Voltage (V): Max Nameplate Output Current (A): Maximum Output Power (kW): 9.6 Number of Outputs: 1 Maximum Output Cord Length (ft.): 25 Output Cord Gauge (AWG): Automatic Brightness Control (ABC) Capable?: No Connected Capable: No Network Connection Types Available: 15 A Operation Mode Test: Total Loss (watts): 4 A Operation Mode Test: Total Loss (watts): 4 A Operation Mode Test: Total Loss (watts): 4 A Operation Mode Test: Total Loss (watts): Idle Mode Input Power (watts): Idle Mode Power Factor: 0.34 Idle Mode Total Allowance (watts): 3.43 No Vehicle Mode Power Factor: 0.26	ENERGY STAR Partner:	Lite-On Technology Corporation
Max Nameplate Output Current (A): Maximum Output Power (kW): Number of Outputs: Maximum Output Cord Length (ft.): Output Cord Gauge (AWG): Automatic Brightness Control (ABC) Capable?: No Connected Capable: No Network Connection Types Available: Wi-Fi or Gigabit Ethernet 15 A Operation Mode Test: Total Loss (watts): 4 A Operation Mode Test: Total Loss (watts): 4 A Operation Mode Test: Total Loss (watts): Full Current Operation Mode Test: Total Loss (watts): Idle Mode Input Power (watts): Idle Mode Power Factor: 0.34 Idle Mode Total Allowance (watts): 3.43 No Vehicle Mode Power Factor: 0.26	Product Type:	Level 2
Maximum Output Power (kW): Number of Outputs: Maximum Output Cord Length (ft.): Output Cord Gauge (AWG): Automatic Brightness Control (ABC) Capable?: No Connected Capable: No Network Connection Types Available: 15 A Operation Mode Test: Total Loss (watts): 22.54 30 A Operation Mode Test: Total Loss (watts): 4 A Operation Mode Test: Total Loss (watts): 6.72 Full Current Operation Mode Test: Total Loss (watts): Idle Mode Input Power (watts): Idle Mode Power Factor: Idle Mode Total Allowance (watts): No Vehicle Mode Power Factor: 0.26	Input Voltage (V):	240.0
Number of Outputs: Maximum Output Cord Length (ft.): Output Cord Gauge (AWG): Automatic Brightness Control (ABC) Capable?: No Connected Capable: No Network Connection Types Available: 15 A Operation Mode Test: Total Loss (watts): 22.54 30 A Operation Mode Test: Total Loss (watts): 4 A Operation Mode Test: Total Loss (watts): 6.72 Full Current Operation Mode Test: Total Loss (watts): Idle Mode Input Power (watts): 6.1 Idle Mode Power Factor: 0.34 Idle Mode Total Allowance (watts): 21.0 No Vehicle Mode Power Factor: 0.26	Max Nameplate Output Current (A):	40
Maximum Output Cord Length (ft.): Output Cord Gauge (AWG): Automatic Brightness Control (ABC) Capable?: No Connected Capable: No Network Connection Types Available: 15 A Operation Mode Test: Total Loss (watts): 22.54 30 A Operation Mode Test: Total Loss (watts): 4 A Operation Mode Test: Total Loss (watts): 6.72 Full Current Operation Mode Test: Total Loss (watts): Idle Mode Input Power (watts): 133.45 Idle Mode Power Factor: 0.34 Idle Mode Total Allowance (watts): No Vehicle Mode Input Power (watts): 3.43 No Vehicle Mode Power Factor: 0.26	Maximum Output Power (kW):	9.6
Output Cord Gauge (AWG): Automatic Brightness Control (ABC) Capable?: No Connected Capable: No Network Connection Types Available: 15 A Operation Mode Test: Total Loss (watts): 22.54 30 A Operation Mode Test: Total Loss (watts): 4 A Operation Mode Test: Total Loss (watts): 6.72 Full Current Operation Mode Test: Total Loss (watts): Idle Mode Input Power (watts): 6.1 Idle Mode Power Factor: 0.34 Idle Mode Total Allowance (watts): No Vehicle Mode Input Power (watts): 3.43 No Vehicle Mode Power Factor: 0.26	Number of Outputs:	1
Automatic Brightness Control (ABC) Capable?: No Connected Capable: No Network Connection Types Available: Wi-Fi or Gigabit Ethernet 15 A Operation Mode Test: Total Loss (watts): 22.54 30 A Operation Mode Test: Total Loss (watts): 76.65 4 A Operation Mode Test: Total Loss (watts): 6.72 Full Current Operation Mode Test: Total Loss (watts): 133.45 (watts): Idle Mode Input Power (watts): 6.1 Idle Mode Power Factor: 0.34 Idle Mode Total Allowance (watts): 21.0 No Vehicle Mode Input Power (watts): 3.43 No Vehicle Mode Power Factor: 0.26	Maximum Output Cord Length (ft.):	25
Connected Capable: No Network Connection Types Available: Wi-Fi or Gigabit Ethernet 15 A Operation Mode Test: Total Loss (watts): 22.54 30 A Operation Mode Test: Total Loss (watts): 4 A Operation Mode Test: Total Loss (watts): 5.72 Full Current Operation Mode Test: Total Loss (watts): Idle Mode Input Power (watts): 6.1 Idle Mode Power Factor: 0.34 Idle Mode Total Allowance (watts): 21.0 No Vehicle Mode Input Power (watts): 3.43 No Vehicle Mode Power Factor: 0.26	Output Cord Gauge (AWG):	10
Network Connection Types Available: Wi-Fi or Gigabit Ethernet 15 A Operation Mode Test: Total Loss (watts): 22.54 30 A Operation Mode Test: Total Loss (watts): 76.65 4 A Operation Mode Test: Total Loss (watts): 6.72 Full Current Operation Mode Test: Total Loss (watts): 133.45 Idle Mode Input Power (watts): 6.1 Idle Mode Power Factor: 0.34 Idle Mode Total Allowance (watts): 21.0 No Vehicle Mode Input Power (watts): 3.43 No Vehicle Mode Power Factor: 0.26	Automatic Brightness Control (ABC) Capable?:	No
15 A Operation Mode Test: Total Loss (watts): 22.54 30 A Operation Mode Test: Total Loss (watts): 76.65 4 A Operation Mode Test: Total Loss (watts): 6.72 Full Current Operation Mode Test: Total Loss (watts): 133.45 (watts): 6.1 Idle Mode Input Power (watts): 6.1 Idle Mode Power Factor: 0.34 Idle Mode Total Allowance (watts): 21.0 No Vehicle Mode Input Power (watts): 3.43 No Vehicle Mode Power Factor: 0.26	Connected Capable:	No
30 A Operation Mode Test: Total Loss (watts): 76.65 4 A Operation Mode Test: Total Loss (watts): 6.72 Full Current Operation Mode Test: Total Loss (watts): 133.45 Idle Mode Input Power (watts): 6.1 Idle Mode Power Factor: 0.34 Idle Mode Total Allowance (watts): 21.0 No Vehicle Mode Input Power (watts): 3.43 No Vehicle Mode Power Factor: 0.26	Network Connection Types Available:	Wi-Fi or Gigabit Ethernet
4 A Operation Mode Test: Total Loss (watts): Full Current Operation Mode Test: Total Loss (watts): Idle Mode Input Power (watts): Idle Mode Power Factor: Idle Mode Total Allowance (watts): No Vehicle Mode Input Power (watts): 3.43 No Vehicle Mode Power Factor: 0.26	15 A Operation Mode Test: Total Loss (watts):	22.54
Full Current Operation Mode Test: Total Loss (watts): Idle Mode Input Power (watts): Idle Mode Power Factor: Idle Mode Total Allowance (watts): No Vehicle Mode Input Power (watts): No Vehicle Mode Power Factor: 0.26	30 A Operation Mode Test: Total Loss (watts):	76.65
(watts):6.1Idle Mode Input Power (watts):6.1Idle Mode Power Factor:0.34Idle Mode Total Allowance (watts):21.0No Vehicle Mode Input Power (watts):3.43No Vehicle Mode Power Factor:0.26	4 A Operation Mode Test: Total Loss (watts):	6.72
Idle Mode Power Factor:0.34Idle Mode Total Allowance (watts):21.0No Vehicle Mode Input Power (watts):3.43No Vehicle Mode Power Factor:0.26	-	133.45
Idle Mode Total Allowance (watts): No Vehicle Mode Input Power (watts): No Vehicle Mode Power Factor: 0.26	Idle Mode Input Power (watts):	6.1
No Vehicle Mode Input Power (watts): 3.43 No Vehicle Mode Power Factor: 0.26	Idle Mode Power Factor:	0.34
No Vehicle Mode Power Factor: 0.26	Idle Mode Total Allowance (watts):	21.0
	No Vehicle Mode Input Power (watts):	3.43
No Vehicle Mode Total Allowance (watts): 5.0	No Vehicle Mode Power Factor:	0.26
	No Vehicle Mode Total Allowance (watts):	5.0
Partial On Mode Input Power (watts): 3.55	Partial On Mode Input Power (watts):	3.55
Partial On Mode Power Factor: 0.27	Partial On Mode Power Factor:	0.27
Partial On Mode Total Allowance (watts): 5.0	Partial On Mode Total Allowance (watts):	5.0
Date Certified: 2022-05-03	Date Certified:	2022-05-03
Date Available on Market: 2022-05-03	Date Available on Market:	2022-05-03
Markets: United States, Canada	Markets:	United States, Canada
ENERGY STAR Certified: Yes	ENERGY STAR Certified:	Yes

Additional Model Information

,IC3-40A-N,; ,SC3-40A-H,; ,SC3-40A-N,

Captured On: 10/17/2025