



ENERGY STAR CERTIFIED

Electric Vehicle Chargers (AC-Output)

Joint - JNT-EVM002/48AC/01C/XX/RF/4G : JNT-EVM002/48AC/01C/XX/RF/4G

Specifications

Brand Name:	Joint
Model Name:	JNT-EVM002/48AC/01C/XX/RF/4G
Model Number:	JNT-EVM002/48AC/01C/XX/RF/4G
ENERGY STAR Unique ID:	3798588
ENERGY STAR Partner:	Xiamen Joint Tech. Co., Ltd
Product Type:	Level 2
Input Voltage (V):	240.0
Max Nameplate Output Current (A):	48
Maximum Output Power (kW):	11.52
Number of Outputs:	1
Maximum Output Cord Length (ft.):	25
Output Cord Gauge (AWG):	8
Maximum (100%) Measured Luminance of the High Res Display (candelas per m2):	120.0
Automatic Brightness Control (ABC) Capable?:	No
Network Connection Types Available:	Wi-Fi or Gigabit Ethernet, Cellular
Screen Area, if EVSE has high res display (in2):	8.54
Auxiliary Product Features:	Radio Frequency Identification (RFID)
15 A Operation Mode Test: Total Loss (watts):	28.47
30 A Operation Mode Test: Total Loss (watts):	83.06
4 A Operation Mode Test: Total Loss (watts):	12.2
Full Current Operation Mode Test: Total Loss (watts):	191.61
Idle Mode Input Power (watts):	10.88
Idle Mode Power Factor:	0.43
Idle Mode Total Allowance (watts):	26.61
No Vehicle Mode Input Power (watts):	6.47
No Vehicle Mode Power Factor:	0.39
No Vehicle Mode Total Allowance (watts):	7.41
Partial On Mode Input Power (watts):	6.55
Partial On Mode Power Factor:	0.39
Partial On Mode Total Allowance (watts):	7.41
Date Certified:	2024-11-12

Date Available on Market:	2024-11-12
Markets:	United States, Canada
ENERGY STAR Certified:	Yes

Captured On:
04/25/2025