

## Tripp Lite - AG-0683 : VS450T

Specifications  ENERGY STAR Unique ID: 2391561  Brand Name: Tripp Lite  Model Name: AG-0683		
Brand Name: Tripp Lite		
Madal Name:		
Model Name. AG-0083		
Model Number: VS450T		
Power Conversion Mechanism: Static		
Minimum Configuration Tested Model Number:  AG-0683		
Active Output Power Rating Minimum 240 Configuration (W):		
Apparent Output Power Rating Minimum 450 Configuration (VA):		
Topology (ac):		
Topology and Product Type Combined: ac Line Interactive	(VI)	
Application: Consumer,Comm	ercial	
Rated Input Voltage (V rms): 300-120		
Rated Input Frequency (Hz): 50-60		
Rated Output Voltage (V): 120-120		
Rated Output Frequency (Hz): 50-60		
Rack Mountable: No		
Height (mm): 142		
<b>Width (mm):</b> 102		
<b>Depth (mm):</b> 300		
Total Number of Outlets: 4		
Number of Battery Backup and Surge Protected Outlets:		
Number of Surge Protected Only Outlets: 1		
Normal Mode(s) Input Dependency Characteristic (ac):  Voltage Independ	ent	
Modular UPS:		
Number of Normal Modes: Single-normal-mo	Single-normal-mode	
Default Normal Mode (ac):  Voltage Independ	ent	
Test Input Voltage (V rms): 120		
Test Input Frequency (Hz): 60		
Test Output Voltage (V): 120		
Test Output Frequency (Hz): 60		

Total Input Power in W at 0% Load Min Config Lowest Dependency (ac):  Efficiency at 25% Load Min Config Lowest Dependency (ac):  Efficiency at 50% Load Min Config Lowest Dependency (ac):  Efficiency at 75% Load Min Config Lowest Dependency (ac):  Efficiency at 75% Load Min Config Lowest Dependency (ac):  98.9  98.9  99.0
Dependency (ac):  Efficiency at 50% Load Min Config Lowest Dependency (ac):  Efficiency at 75% Load Min Config Lowest Dependency (ac):  98.3  98.9
Dependency (ac):  Efficiency at 75% Load Min Config Lowest Dependency (ac):  98.9
Dependency (ac):
Efficiency at 100% Load Min Config Lowest 99.0
Dependency (ac):
Weighted Efficiency Calc Min Config Lowest  99.0  Dependency:
Efficiency (%): 99
Modular UPS Module Tested Model Number: N/A
Energy Storage Mechanism: Battery
Energy Storage System Technology: Valve Regulated Lead-acid Battery
Energy Storage System Configuration: Integral
Energy Storage System Removable to Another No Room:
Energy Storage System Runtime at 100% Load (min.):
Energy Storage System Runtime at 50% Load (min.): 5
Energy Storage System Warranty (yrs): 3
Energy Storage System Information URL: N/A
Battery Recycling URL: http://www.tripplite.com/en/support/recycling-program.cfm
Network Connections Available: None
Communication Protocols: None
Manufacturer Take Back Program: Yes
Manufacturer Take Back Program URL: http://www.tripplite.com/en/support/recycling-program.cfm
Model Web Page URL: https://www.tripplite.com/120v-ups-line-interactive-450va-240w-tower-4-outlets-avr~vs450t
Test Method Guidelines: N/A
Test Method Guidelines: N/A  Date Available on Market: 2021-12-31
Date Available on Market: 2021-12-31

**Captured On:** 04/25/2025