



ENERGY STAR CERTIFIED

Uninterruptible Power Supplies

APC by Schneider Electric - APC Back-UPS Pro 1500VA 120V AVR LCD 8 NEMA 5-15R 2U Tower Rack convertible : BR1500RM2U

Specifications

ENERGY STAR Unique ID:	2546033
Brand Name:	APC by Schneider Electric
Model Name:	APC Back-UPS Pro 1500VA 120V AVR LCD 8 NEMA 5-15R 2U Tower Rack convertible
Model Number:	BR1500RM2U
Power Conversion Mechanism:	Static
Minimum Configuration Tested Model Number:	BR1500RM2U
Active Output Power Rating Minimum Configuration (W):	900
Apparent Output Power Rating Minimum Configuration (VA):	1500
Topology (ac):	Line Interactive
Topology and Product Type Combined:	ac Line Interactive (VI)
Application:	Consumer
Rated Input Voltage (V rms):	120-120
Rated Input Frequency (Hz):	50-60
Rated Output Voltage (V):	120-120
Rated Output Frequency (Hz):	50-60
Rack Mountable:	Yes
Rack Mount Height (U):	2
Height (mm):	86
Width (mm):	438
Depth (mm):	267
Total Number of Outlets:	8
Number of Battery Backup and Surge Protected Outlets:	8
Number of Surge Protected Only Outlets:	0
Normal Mode(s) Input Dependency Characteristic (ac):	Voltage Independent
Modular UPS:	No
Number of Normal Modes:	Single-normal-mode
Default Normal Mode (ac):	Voltage Independent

Test Input Voltage (V rms):	120
Test Input Frequency (Hz):	60
Test Output Voltage (V):	120
Test Output Frequency (Hz):	60
Total Input Power in W at 0% Load Min Config Lowest Dependency (ac):	2.64
Efficiency at 25% Load Min Config Lowest Dependency (ac):	98.7
Efficiency at 50% Load Min Config Lowest Dependency (ac):	99.0
Efficiency at 75% Load Min Config Lowest Dependency (ac):	98.9
Efficiency at 100% Load Min Config Lowest Dependency (ac):	98.7
Weighted Efficiency Calc Min Config Lowest Dependency:	98.8
Efficiency (%):	98.8
Modular UPS Module Tested Model Number:	N/A
Energy Storage Mechanism:	Battery
Energy Storage System Technology:	Valve Regulated Lead-acid Battery
Energy Storage System Configuration:	Integral
Energy Storage System Removable to Another Room:	No
Energy Storage System Runtime at 100% Load (min.):	3
Energy Storage System Runtime at 50% Load (min.):	11
Energy Storage System Warranty (yrs):	3
Energy Storage System Information URL:	https://www.apc.com/us/en/product/APCRBC188/
Battery Recycling URL:	https://www.apc.com/us/en/who-we-are/sustainability/recycling-options.jsp
Network Connections Available:	USB Port
Communication Protocols:	Other
Communication Protocol Other:	USB Power Summary
Manufacturer Take Back Program:	Yes
Manufacturer Take Back Program URL:	https://www.apc.com/us/en/who-we-are/sustainability/recycling-options.jsp
Model Web Page URL:	https://www.apc.com/us/en/product/BR1500RM2U/
Test Method Guidelines:	https://www.apc.com/us/en/who-we-are/sustainability/
Date Available on Market:	2023-08-31
Date Certified:	2023-07-07
Markets:	United States
ENERGY STAR Certified:	Yes

Additional Model Information

APC Back-UPS Pro 1500VA 120V AVR LCD 8 NEMA 5-15R 2U Tower Rack convertible Factory Serviced,BR1500RM2UW,;
Std Exch APC Back-UPS Pro 1500VA 120V AVR LCD 8 NEMA 5-15R 2U Tower Rack convertible,BR1500RM2UQ,

UPC Codes	731304452959
------------------	--------------

Captured On:
04/25/2025