



ENERGY STAR CERTIFIED

# Uninterruptible Power Supplies

## APC by Schneider Electric - Smart-UPS Ultra 5KVA 208V RM 2U LI TAA : SRTL5KRM2UTUS

### Specifications

ENERGY STAR Unique ID:	2698713
Brand Name:	APC by Schneider Electric
Model Name:	Smart-UPS Ultra 5KVA 208V RM 2U LI TAA
Model Number:	SRTL5KRM2UTUS
Power Conversion Mechanism:	Static
Minimum Configuration Tested Model Number:	SRTL5KRM2UT
Active Output Power Rating Minimum Configuration (W):	5000
Apparent Output Power Rating Minimum Configuration (VA):	5000
Topology (ac):	Multi-Mode Double Conversion
Topology and Product Type Combined:	ac - Other
Application:	Commercial
Rated Input Voltage (V rms):	208-240
Rated Input Frequency (Hz):	50-60
Rated Output Voltage (V):	208-240
Rated Output Frequency (Hz):	50-60
Rack Mountable:	Yes
Rack Mount Height (U):	2
Height (mm):	89
Width (mm):	432
Depth (mm):	768
Total Number of Outlets:	4
Number of Battery Backup and Surge Protected Outlets:	4
Number of Surge Protected Only Outlets:	0
Normal Mode(s) Input Dependency Characteristic (ac):	Voltage and Frequency Independent,Voltage and Frequency Dependent
Modular UPS:	No
Number of Normal Modes:	Multiple-normal-mode
Default Normal Mode (ac):	Voltage and Frequency Independent
Test Input Voltage (V rms):	240
Test Input Frequency (Hz):	60

<b>Test Output Voltage (V):</b>	240
<b>Test Output Frequency (Hz):</b>	60
<b>Total Input Power in W at 0% Load Min Config Lowest Dependency (ac):</b>	55.22
<b>Total Input Power in W at 0% Load Min Config Highest Dependency (ac):</b>	52.02
<b>Efficiency at 25% Load Min Config Lowest Dependency (ac):</b>	94.1
<b>Efficiency at 25% Load Min Config Highest Dependency (ac):</b>	96.1
<b>Efficiency at 50% Load Min Config Lowest Dependency (ac):</b>	95.7
<b>Efficiency at 50% Load Min Config Highest Dependency (ac):</b>	98.7
<b>Efficiency at 75% Load Min Config Lowest Dependency (ac):</b>	96.0
<b>Efficiency at 75% Load Min Config Highest Dependency (ac):</b>	98.3
<b>Efficiency at 100% Load Min Config Lowest Dependency (ac):</b>	95.8
<b>Efficiency at 100% Load Min Config Highest Dependency (ac):</b>	98.5
<b>Weighted Efficiency Calc Min Config Lowest Dependency:</b>	95.9
<b>Weighted Efficiency Calc Min Config Highest Dependency:</b>	98.2
<b>Minimum Configuration Input Power Factor Highest-Input Dependency:</b>	1.0
<b>Efficiency (%):</b>	98.2
<b>Modular UPS Module Tested Model Number:</b>	N/A
<b>Energy Storage Mechanism:</b>	Battery
<b>Energy Storage System Technology:</b>	Lithium-ion Battery
<b>Energy Storage System Configuration:</b>	Integral
<b>Energy Storage System Removable to Another Room:</b>	Yes
<b>Energy Storage System Runtime at 100% Load (min.):</b>	5
<b>Energy Storage System Runtime at 50% Load (min.):</b>	12
<b>Energy Storage System Warranty (yrs):</b>	5
<b>Energy Storage System Information URL:</b>	<a href="http://www.apc.com/shop/us/en/products/P-SRYLBM">http://www.apc.com/shop/us/en/products/P-SRYLBM</a>
<b>Battery Recycling URL:</b>	<a href="https://www.apc.com/us/en/who-we-are/sustainability/recycling-options.jsp">https://www.apc.com/us/en/who-we-are/sustainability/recycling-options.jsp</a>
<b>Network Connections Available:</b>	Ethernet
<b>Communication Protocols:</b>	HTTP,HTTPS,Modbus TCPSNMP (v1, 2 or 3)
<b>Manufacturer Take Back Program:</b>	Yes
<b>Manufacturer Take Back Program URL:</b>	<a href="https://www.apc.com/us/en/who-we-are/sustainability/recycling-options.jsp">https://www.apc.com/us/en/who-we-are/sustainability/recycling-options.jsp</a>

Model Web Page URL:	<a href="https://www.apc.com/us/en/product-category/88972-uninterruptible-power-supply-ups/">https://www.apc.com/us/en/product-category/88972-uninterruptible-power-supply-ups/</a>
Test Method Guidelines:	<a href="https://www.apc.com/us/en/who-we-are/sustainability/">https://www.apc.com/us/en/who-we-are/sustainability/</a>
Date Available on Market:	2024-05-22
Date Certified:	2023-10-31
Markets:	United States
ENERGY STAR Certified:	Yes

Captured On:  
04/28/2025